

Character Figures for Calcium-Flocculi

The character figures are assigned on the scale of 0, 1, 2, 3, 4, 5. The numbers refer to the area and intensity of the flocculi; 0 representing absence or rarity, 5 extreme abundance and intensity. As central zone a circular surface of a semidiameter of the sun's disc has been taken.

Whole Sun Disc

1920

Observatory	January																															Mean		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31			
Cambridge/Kodaik.		1.5		1	1	1.5		1	1	1.5	1.5	1.5	2.5	2.5	2.5	3	3	2.5	2.5	2.5	2.5	3	3	3	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
del Ebro	1.2							0.5		1.5	1.7	2.2	2.7	2	2.7	2.2	2	2.7	2.7	2		2.5	2.5					2.7	2.5	1.7				2.1
Meudon		1.5															2	2				2	2.5	3.5	3.5			3.5	3.5	3.5			2.7	
Mount Wilson . .						1	1	1	1.5	2		2	2.5	2			2				2		3	3	3					3			2.1	
Tokyo	1	1	2	2	2			1	1	2		2	3	2	2	2	2	2			3	2	3	3		3	3	3	3		3	3	2.3	
Mean	1.1	1.3	2	1.5	1.5	1.2	1	0.9	1.2	1.8	1.6	1.9	2.4	2.4	2.4	2.3	2.2	2.4	2.6	2.4	2.2	2.8	3	3.2	2.8	2.8	2.9	2.7	2.7	2.8	2.8	2.2		

February

Cambridge/Kodaik.	2.5	2.5	2	2	1.5	1.5	2	2	2.5	1.5	1.5	1.5	2	2.5	3	2.5	2.5	3	4	4	4	4	4	4	4	3.5	3.5	3	2.5	2			2.7	
del Ebro	2	1.5	1.2	1	0.7	0.7		0.7	0.7	1.5	1.7											3.2	3.2	3	3			2.2	2.5	2			1.8	
Meudon	3.5	3	2.5		1.5	1	1.5	1.5							3		3.5	4	4	3.5				3	3				2.5	2			2.7	
Mount Wilson . .					2	2				2	2	2	2		3	3.5												3					2.4	
Tokyo									2	1	1	2	2	3		3	3					3	3			3	3				2			2.4
Mean	2.7	2.3	1.9	1.5	1.4	1.3	1.8	1.4	1.7	1.5	1.6	1.8	2	2.8	3	3	3	3	3.5	4	3.8	3.4	3.4	3.3	3.5	3.1	3.2	2.6	2.5	2			2.5	

March

Cambridge/Kodaik.	1.5	1.5	1.5	1.5	1.5	1	1.5	1.5	1.5	1.5	2	2.5	2.5	2.5	2.5	2	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2	1.5	1.5	1.5	1.5	2.0	
del Ebro			1.2	1	1.5	1.5		1.7	2.2		2.5	2		2	2.5	2.2	2.2	2.2	2.2	2.5	2.2	2.2	2.2	2.2	2.2	2.2	2.5							2.0	
Meudon	2			1.5	1.5	1.5		2		2						2															1.5				2.2
Mount Wilson . .		1		1.5	1	2					3	3			3	2			2	3	3	3				3				1	1	1		2.1	
Tokyo					2	2	2			3	3		3		2		2	2	3	3	3			3					2	2				2.5	
Mean	1.8	1.2	1.4	1.4	1.5	1.6	1.8	1.8	2.1	2.3	2.5	2.3	2.8	2.5	2.2	2	2.2	2.4	2.7	2.7	2.8	2.6	2.7	2.6	2.5	2.5	2	1.5	1.2	1.2	1.5		2.1		

April

Cambridge/Kodaik.	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	2	2	2	2	1.5	1.5	1.5	1	1	1	0.5	0.5	1			1	1.5		1.4	
del Ebro	1.2			1.2	1.2		1.5					1.7	1.7		1.2	1.5	1.5	1.2	1.2	1.2	1	0.7	0.5	0.5	0.5	0.5				1.7			1.1	
Meudon					1.5	2			2							2			2	2	1.5	1.5									2			1.7
Mount Wilson . .	2	2	2	2	2	2	2	2	1	1	1	1						2	2			1	1	0.5	0.5	0.5	1	1	1	1	1		1.4	
Tokyo									2	2	1	1	1	1		2	2	2	2			2	2	1	1				1	2				1.6
Mean	1.6	1.8	1.8	1.6	1.6	1.7	1.8	1.8	1.5	1.4	1.2	1.2	1.4	1.7	2	1.8	1.8	1.9	1.7	1.6	1.4	1.3	0.8	0.7	0.5	0.7	0.8	1	1.5	1.7			1.4	

May

Cambridge/Kodaik.	1.5	1.5	1.5	1.5	1.5	1.5	2	2	2	2	2	2	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1	1	1	1	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
del Ebro		1.7	1.7	2	2.2	2.2	2.0	1.7	1.7	2	2.2		2	2	1.2	1.7	1.7				1	1.2	1.2		1.5	1.5	2		1.7				1.7	
Meudon	2			2.5	2	2	2			2	2.5	2		2								1.5	2	2	2	2	2	2	2	2	2	2	2.5	2.1
Mount Wilson . .					3	3	2	2	2	2	2	2	2	2.5		2	2	2	2	2	2	1		1	2	2	2	2	2	3	3	3		2.1
Tokyo											3		3	3						2	1		1			2				2				2.1
Mean	1.8	1.6	1.6	2	2.2	2.2	1.9	1.9	1.9	2	2.3	2.2	2	2.1	2.1	1.6	1.8	1.7	1.8	1.2	1	1.1	1.6	1.8	1.8	1.8	1.9	1.8	2	2.2	2.3		1.8	

June

Cambridge/Kodaik.	1.5	1.5	1.5	1.5	2	2.5	2.5	2.5	2	1.5	1.5	1.5	1.5	1.5	1.5	1	1	1.5			1.5	2	2	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2		1.8	
del Ebro	2	2	2	2	2.2			2.5	2				1.2	1.2		1.5	1.5	1.7	1.7		2	2.2	2.5	2.5	2.2	2.7				2.5			2.0		
Meudon			2			2	2	2	2	2	2				1.5	2						2	2	2.5	3	3	3	3	3	3	3	3	2.5	2.1	
Mount Wilson . .	3	2.5	2.5							2	2	2	2	2	2	1	1	1	1	2		2	2	3	3	3	3			2	2.5			2.1	
Tokyo	3	3				3	3	2	2																					3					2.7
Mean	2.4	2.2	2	1.8	2.1	2.5	2.5	2.2	2	1.9	1.8	1.8	1.8	1.6	1.6	1.2	1.2	1.4	1.6	1.9	2	2.2	2.5	2.8	2.7	2.8	2.8	2.8	2.5	2.5				2.1	

Character Figures for Calcium-Flocculi

The character figures are assigned on the scale of 0, 1, 2, 3, 4, 5. The numbers refer to the area and intensity of the flocculi; 0 representing absence or rarity, 5 extreme abundance and intensity. As central zone a circular surface of a semidiameter of the sun's disc has been taken.

Whole Sun Disc

1920

Observatory	July																															Mean	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
Cambridge/Kodaik.	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.2	1.2	1	1	1	1	1	1	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.7	2	1.5	1.5	1.5	1.5	1.5	1.5	1.4
del Ebro	2	2	1.7	1.7	1.7		1.7	1.5	2		1.2	1	1	1	1	0.7	1.5		2	2	2	2	2	2	2	2	2	2	2	2	2	1.5	
Meudon	2.5	2.5	2.5					2		1.5	1.5	1.5	1.5	1.5	1.5	2	2		2	2	2	2	2	2	2	2	1	2	2	2	2	1.9	
Mount Wilson	2.5	3	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	1.6	
Tokyo		2				2	2	1	1				1	1	1	2	2			2												1.5	
Mean	2.1	2.2	1.9	1.7	1.7	1.8	1.6	1.4	1.1	1.2	1.1	1.1	1.1	1.1	1.2	1.1	1.5	1.5	1.5	1.8	1.8	1.6	1.6	1.9	2	1.2	1.9	1.8	1.8	1.7	1.8	1.6	

August

Cambridge/Kodaik.	1	1	1	1	1	1	1	1	0.5	0.5	0.5	0.5	1	1	1	1	1	1	1	1	1	1.5	1	1	1	1	0.5	0.5	0.5	0.5	0.5	0.9	
del Ebro	1.5				0.7	0.7	1	1	0.7	0.7	0.7		1	1	1.2	1.2	1.5		1.5	1.5				1	0.5	0.7		0.5	0.5	0.5	0.5	0.5	1.0
Meudon	1		1	1	1	1	1	0.5	0.5	0.5	1	1.5	2	2	2	2	2		2	2	2	2	2	2	1.5	1		0.5	0.5	1	1.5	1.5	1.3
Mount Wilson	1		1	1	1	1	1	0.5	0.5	0.5	1	1	1	1	2	2	2	3	2	2	2	2	2	1			1	1	1	1	1	1	1.3
Tokyo					1	1										2	3					2										1	1.7
Mean	1.1	1	1	1	0.9	0.9	1	0.7	0.6	0.5	0.8	1	1.3	1.2	1.6	1.6	1.9	2	1.5	1.6	1.9	1.5	1.1	0.8	0.8	0.5	0.7	0.8	0.7	0.9	0.7	1.1	

September

Cambridge/Kodaik.	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	1	1		1	1	0.5	0.5	0.5	0.5		0.5	0.5	1	1	1.5	2	2.5	2.5	2.5	0.9	
del Ebro	1	1	1	1	1	1.2	1.2	0.5		1	1			1.5	1.5									1.7	1.7	1.7	2.2	2.2	2	2	2	1.4
Meudon		1.5			2		1.5	0.5	1	1.5	2	2	2	2	2	2	1	0.5	0.5		2			2.5	2.5	3.5	3.5	3.5	3.5	3.5	3.5	1.8
Mount Wilson	1	1	1	2	1	1	1	0	0	1	1	1	1	2	2	1	1	1	1	0.5	1	1	1	2			3	3	3	3	3	1.2
Tokyo					2		2							2	2	1							1									1.7
Mean	0.8	1	0.8	1.2	1.3	0.9	1.2	0.6	0.3	1.1	1	1.3	1.5	1.8	1.6	1.3	0.9	0.8	0.7	0.5	1	1.1	0.8	1.4	1.8	1.6	2.1	2.7	3	2.8	1.3	

October

Cambridge/Kodaik.	2.5	2.5	2.5	2	2	1.5	1.5	2	2	2	2	2	2	1.5	1.5	1.5	1.5	1.5	1	1.5	1.5	2	2.5	2.5	3	3	3	2.5	2	2	2	2.0	
del Ebro	2.5	2.5	2.7	2	1.5	1.7		1.7	2	2	2.2		1.7	1.7	1.5	1.2	1.2	1.5	1.7			1.7	1.7	2.5	2.5	2.2	2.2	2	2	2	2	1.9	
Meudon	3	3	3	3	2.5		2.5	2.5		3	3	3	2.5	2				2.5	3	3.5	3	3	3	3	3	3	3	3	3	3	2.5	2.8	
Mount Wilson	2	2	2	2			2	2		3	3	3	2	2	2	2				2	2	3	3	4	4	4		3				2.6	
Tokyo	3	3	3				3	3	3					3	3																		2.9
Mean	2.6	2.5	2.6	2.2	2.2	2	1.7	2.4	2.1	2.5	2.6	2.6	2	1.9	2.2	2	1.5	1.6	1.1	1.9	2	2.8	2.6	3.2	3.3	3.1	2.8	2.6	2.6	2.3	2.2	2.3	

November

Cambridge/Kodaik.		1	1	1.5	2.5	2.5	2.5	2.5	2.5	2	1.5	1	1	0.5	0.5	0.5	0.5														1	1.4
del Ebro			1.5	1.7				2	2	1.5		0.7	0.7	0.7	1								1.5	2			1.7	1.7		2.5		1.4
Meudon		2	2	2.5				2	2	2					1							1	1	1.5	2	2						1.8
Mount Wilson	2	2	2					2	2			1*	1		1	1	1	1	1	1	2	2	2	2	2	2	2	2	2.5			1.7
Tokyo		2		3		3	3	3						1	1	1	1	1	1				2	1			2	3	3			2.0
Mean	2	1.8	1.6	2.2	2.5	2.8	2.8	2.4	2.1	1.9	1.5	1	0.9	0.8	0.7	0.9	0.8	1	0.8	1.5	1.7	1.5	1.8	2	2	2	2	2.4	2.4	1.8		1.7

December

Cambridge/Kodaik.	1.5	1.5	1.5	1.5	1	1	1	1	1	1	1	1	1	1	1.5	1.5		1.5	1.5	1.5	1.5	2	2	2	1.5	2	2	2.5	2.5	2.5	2.5	1.6
del Ebro			1.2	1.5	1.5	1.2	1				0.7	0.5			1								2	1.5			1.7	1.7	2.2	2.2	2.2	1.4
Meudon	2.5				2						1	1.5	1.5									2.5	2.5									2.1
Mount Wilson			2	2	2	2		2	1	1				2								3					3	3	3	3	3	2.3
Tokyo	3							1	1					2	2	2				3	2	2	3	3	3	3	3	3	3	3	3	2.4
Mean	2.3	1.5	1.6	1.7	1.6	1.4	1	1.3	1	1	0.9	1	1.5	1.5	1.5	1.5	2	1.5	2.2	1.8	2.2	2.4	2.2	2.5	2.2	2.5	2.7	2.6	2.8	2.4	2.6	1.8

* = Low weight.

Character Figures for Calcium-Flocculi

The character figures are assigned on the scale of 0, 1, 2, 3, 4, 5. The numbers refer to the area and intensity of the flocculi; 0 representing absence or rarity, 5 extreme abundance and intensity. As central zone a circular surface of a semidiameter of the sun's disc has been taken.

Central Zone

1920

Observatory	January																															Mean
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
Cambridge/Kodaik.		1.5*		0.5	0	0.5		0.5	1.5*	1.5*	1.5*	1*	2.5*	2.5*	2.5*	3*	2.5*	1.5*	2*	1.5	2.5*	3*	2.5*	2.5*	2*	2*	3.5*	3.5*	3.5*	3*	1*	2.0
del Ebro	2							0.2		1.2	1.2	1.2	3	2.5	2.7	2.7	1.5	1.5	1.2	1.5	2.5*	3*	2.5*	2.5*	2*	2*	2.5	2.7	2.2	1.9		
Meudon		2.5													2.5	1.5					2.5	2.5	2	2			4	4.5	2.7			
Mount Wilson					0	0.5	2	2	2	2		2	3	3			1.5			2			3	3	2			4	2.1			
Tokyo	2	2	2	1	0		0	2	2	2		2	3	3	3	3	2	1		1	3	3	3	2	3	4	4	3	1	2.2		
Mean	2	2	2	0.8	0	0.2	0.5	0.7	1.8	1.7	1.4	1.4	2.6	2.8	2.7	2.8	1.8	1.3	1.6	1.5	2.7	2.8	2.6	2.5	2	2.5	3.5	3.4	3.6	3	1	2.0

February

Cambridge/Kodaik.	0.5	1	1	1*	2*	2*	2*	2*	2*	1.5	1	1	1.5*	2*	2.5*	2.5*	2.5*	2.5*	3.5*	3.5*	3*	4*	4*	4*	3.5*	3*	2.5*	2*	2*	2.3
del Ebro	0.2	0.7	1	1	1	1	1	1	1	1	1	1	1.5*	2*	2.5*	2.5*	2.5*	2.5*	3.5*	3.5*	3.7	3.5	3.5	2.7	2.5	2.7	3		1.8	
Meudon	0.5	1	1		2	1.5	1.5	1.5							2.5		2.5	3.5	4	3			3.5	3	2.5			2	2.2	
Mount Wilson					3	2.5				1	1	1.5	2	3	3	3.5									3	3		2	2.3	
Tokyo									2	1	1	1	2	3	3	3	3				2	3			3	2		2	2.2	
Mean	0.4	0.9	1	1	2	1.8	1.8	1.5	1.7	1.1	1	1.2	1.8	2.5	2.7	3	2.7	3	3.8	3.2	2.9	3.5	3.7	3.5	2.9	2.7	2.5	2.2	2.2	2.2

March

Cambridge/Kodaik.	1.5*	0.5	0.5	0.5	0.5	0.5	2*	2*	2*	2.5*	2.5*	2.5*	2*	2*	1.5*	1	0.5	1	1.5	2.5*	3*	3*	3.5*	2.5	2	1	1	1	1.5*	1.5*	1*	1.6
del Ebro			0.7	0.5	0.7	1				2	2.5	1.7			2		1.2	1.7	1.5	2.7	3.5	4	3.7	3.5	2	1.7				2.0		
Meudon	2			0.5	0.5	1			2		2					1			2	3	4.5	4.5	3					1.5	2.1			
Mount Wilson		1		1	0.5	2				3	2			3	2		2	2	3	4				3				2	1	1	2.0	
Tokyo					1	1	0			3	3				2		1	1	1	2	3	4		3			1	1	1	1.8		
Mean	1.8	0.8	0.6	0.6	0.6	1.1	1	2	2.3	2.5	2.2	2.1	2	2.3	1.8	1	1.3	1.4	2.2	3.2	3.9	3.7	3.2	2.5	1.8	1	1	1.4	1.2	1.2	1	1.8

April

Cambridge/Kodaik.	0.5	0.5	0.5	1.5*	2*	2*	1	1	1	1	1	0.5	0.5	0.5	1.5*	2.5*	2.5*	2.5*	2*	1.5*	0.5	0.5	0	0.5	0.5*	0.5	0.5		0.5	1	1.1
del Ebro	0.5			1.5	1.5		1.2					1	1	1		2	3	2.2	1.7	1	0.5	0.5	0.2	0.5	0.5	0.5			1.7	1.1	
Meudon					1.5	1				1.5					3		2	2	2	1	0.5	0	0	0.5				1	1.5	1.1	
Mount Wilson	0	1	2	3	3	3	3	2	2	2	1	1				3.5	3	3	2		1	0.5	0.5	1	1	1	0.5	1	1	1.6	
Tokyo							1	1	1	1	1	1	1		2	3	3	2		1	1	0	0				1	1	1	1.3	
Mean	0.3	0.8	1.2	2	2.2	2.2	1.6	1.3	1.3	1.4	1	0.8	0.8	0.8	1.5	2.4	2.8	2.8	2.1	1.2	0.7	0.5	0.1	0.5	0.7	0.7	0.5	1	0.9	1.4	1.3

May

Cambridge/Kodaik.	1	1	1.5*	2*	1.5	1	1.5	2.5*	2.5*	2.5*	1.5*	2*	2.5*	2.5*	2.5*	2.5*	1.5	0.5	0	0.5	1	1.5*	1.5*	1*	0.5	1	2*	2*	2*	1.5	1.5	1.6
del Ebro		2.7	2.5	2.5	2.2	1.5	2.7	2	2.2	2.2	1.7		1.7		3.5	2.2	1.2	0.5		1	1.7	1.7		1	2.2	2.7			2.5	2.0		
Meudon	1.5			2	2	1	1			2	1.5	2			2.5		0.5				1	1.5	1	0	2	2	2	2	1.5	1.5		
Mount Wilson					2	2	2	3	3	3	2	2			3.5	3	2	0.5	0	1	1		2	2	0.5	0.5	2	3	3	2	2.0	
Tokyo										2	2				3	4			0	0		1		0				2	2	1.5		
Mean	1.2	1.8	2	2.2	1.9	1.4	1.8	2.5	2.6	2.4	1.7	2	2.1	2.9	3.2	2.2	0.9	0.3	0.3	0.5	1	1.4	1.7	0.8	0.4	1.8	2.4	2.3	2.4	1.8	1.7	

June

Cambridge/Kodaik.	1.5*	1.5*	1	2*	2*	2.5*	2.5*	1.5	1.5	1.5*	2*	2*	2*	1.5*	0.5	1	0.5	0.5	0.5		1.5	2*	2*	2*	2.5*	2.5*	2*	2*	1.5*	1.6	
del Ebro	1	1.5	2.2	2.2	3			1.5		2.7				1	0.7		1	0.5	1.5	1.5	2.2	2.7	2.7	2.7	2.5	3			1.7	1.9	
Meudon			2			2	0.5	1	1	2	2			1	1			0.5	1.5	1.5	2	2.5	2.5	2.5	3	3	2.5	2.5	1.5	1.8	
Mount Wilson	2	2	3				3	3	2	1	2	3	2	2.5	2	1	1	1	2	2	3	3	3.5	4	3	3			2	2.3	
Tokyo	2	2							1																			2	2	2.1	
Mean	1.6	1.8	2	2.1	2.5	2.5	2	1.5	1.2	2	2.3	2	2.2	1.4	0.7	1	0.8	0.6	1.4	1.7	2.2	2.6	2.7	2.8	2.8	2.9	2.2	2.2	1.7	1.6	1.9

* = Days of special activity in central zone.

Character Figures for Calcium-Flocculi

The character figures are assigned on the scale of 0, 1, 2, 3, 4, 5. The numbers refer to the area and intensity of the flocculi; 0 representing absence or rarity, 5 extreme abundance and intensity. As central zone a circular surface of a semidiameter of the sun's disc has been taken.

Central Zone

1920

Observatory	July																															Mean	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
Cambridge/Kodaik.	1.5*	1.5*	2.5*	2*	1.5*	1	0.5	0.5			1*	1*	1*	1	1	0.5	0.5	0.5	0.5	1	2	2*	2*				1	1	1.5	1.5		1	1.2
del Ebro	1.2	2.5	2.5	1.7	1.7		1	1.5	1.5	1	1	1	1	1	0.5	0.5				1.2	2	2	2	2.2	1.7		1.2	2.2	2.7	2		1.6	
Meudon	1.5	2.5	3				1			1	1.5	1	1	1.5	1.5	0			1	1	2.5			2.5	2		1	1	1.5	1.5		1.5	
Mount Wilson	2	3	3	2	2	1	0.5	1	1	1	1	1	1	1	1	0.5	0.5	1	1	3	3	3	3	2	1	1	1	2	2.5	3	2	1.7	
Tokyo		2				1	1	1	1				1	1	1	0	0			1												0.9	
Mean	1.6	2.3	2.8	1.9	1.7	1	0.8	1	1.2	1	1.1	1	1	1.1	1.2	0.9	0.3	0.3	0.8	1	2.4	2.3	2.3	2.6	1.9	1	1	1.7	2	2.2	1.5	1.4	

August

Cambridge/Kodaik.	1	0.5	0.5	1	1	1	1	0.5	0	0	0	0	0.5	1*	1*	1*	1	2*	2*	1	1	0.5	0.5	0.5	0.5	0.5	1	1	1	0	0.8	
del Ebro	2			1.2	1.2	1		0.2		0.2			0.7	1	1.5	2.5		0.7	0.7				0.5	0.5	0.5		0.7	0.7	0.5	0.5	0.9	
Meudon	1		0.5	1	1		1	0.5	0	0	0	0	1	1	1.5	2	3	2.5		1	1		0.5	1		1	1	1	0.5	1.0		
Mount Wilson	1		1	2	1.5	1.5	1	0.5	0.5	0	0	0	1	1	2	2	3	3	2	2	1	2	1			1	1	1	1	0.5	1.3	
Tokyo					1	1										2	2				1									1	1.3	
Mean	1.2	0.5	0.7	1.3	1.1	1.2	1	0.5	0.2	0	0	0	0.8	0.9	1.4	1.7	2.3	2.5	1.6	1.2	1	1.2	0.6	0.7	0.5	0.8	1	0.9	0.9	0.5	0.5	0.9

September

Cambridge/Kodaik.	0.5	1.5*	1.5*	1.5*	1	0	0	0	0.5	0.5	0.5	1.5*	1.5*		1	0.5	0	0	0	0		0.5	0.5	0.5	0.5	0.5*	1.5*	3*	3*	3.5*	0.9
del Ebro	0.7	1.5	1.7	1.2	0.5	0.2	0.2	0.2		0.5	0.7			1.7	1									0.5	0.5	1.5	2.7	3	2.7	2.7	1.2
Meudon		2			0			0	0	0.5	1	2	2		1		0	0	0		0.5			1			4	4	3.5	1.3	
Mount Wilson	2	2	2	1	0	0	0	0.5	0	1	1	1	2	2	1	1	1	1	0.5	1	1	1	1		1			4	3	1.2	
Tokyo					0	0						1			1	1						2								0.8	
Mean	1.1	1.8	1.7	1.2	0.3	0.1	0	0.2	0.2	0.6	0.8	1.5	1.6	1.8	1	0.8	0.5	0.5	0.2	0.3	1	1	0.8	0.5	0.8	1	2.1	3.3	3.7	3.2	1.1

October

Cambridge/Kodaik.	2.5*	1	0.5	0.5	1	2*	2*	2.5*	2.5*	2.5*	3*	3*	2.5*	2.5*	0.5	0.5*	1*	1*	0.5	1	1	1	2	2*	3*	3*	3*	2*	0.5	0	0	1.6
del Ebro	1.7	0.7	0.7	0.7	1.7		1.5		1.7	1.7	2.7	3		1.2	0.7	1.2	1.2	0.7	1	0.7		1.5				3.7	2.7	2	1	0.5	1.5	
Meudon	2		0.5	0.5	2	2		3	2.5		3	3		2		1				1.5	1	1.5	2.5	3	4	4.5	3	2.5	1	0	0.5	2.0
Mount Wilson	1	0.5	1	1			3	3		2	3	3.5	3	2	1	1				1.5	1	2	3	3.5	4	4			0		2.1	
Tokyo	3	2	1				3		2	3				0	1		2														1.9	
Mean	2	1	0.7	0.7	1.6	2	2.2	2.9	2.2	2	2.9	3.1	2.8	1.9	0.5	0.8	1.1	1.4	0.6	1.2	0.9	1.5	2.2	2.8	3.7	3.8	2.9	2.2	0.6	0.2	0.2	1.8

November

Cambridge/Kodaik.		0.5	1	2	2.5*	2.5*	3*	2.5*	1.5	1.5	0.5	0.5	0.5		0	0	0													1.5*	1.2
del Ebro			1.2	2.2				1.5	1.2	0.7				0.5	0.5	0.2	0.5										1.7	1.5			1.1
Meudon		1	2	2.5				2	1	1					0		0.5			1.5	1.5	1.5	2	1	0.5				2		1.3
Mount Wilson	1	2	3					1	1		2**	1			1	0.5	0.5	1	2	3	2.5	2		1	1	2	3				1.6
Tokyo		1		3		4	4	3					1	0	1			1	1		2	2					1	2	3		1.9
Mean	1	1.1	1.8	2.4	2.5	3.2	3.5	2.2	1.2	1	0.5	1.2	0.7	0.8	0.1	0.5	0.2	0.7	0.7	1.8	2.2	2	1.8	1	0.8	1	1.5	2.2	2.2	1.8	1.5

December

Cambridge/Kodaik.	2*	2*	2*	2*	1	1	1	1	0.5	0.5	0	1	1.5*	1.5*	1.5*	0.5		1.5	2*	1.5*	1	1.5	1.5*	1.5*	1.5*	2*	2*	2*	2.5*	2.5*	2.5*	1.5
del Ebro			2	1.5	1.2	1	0.7				0.2	1			0.7								1.5	1.2			1.7		2.5	2.7	1.4	
Meudon	2				1					0	2	2										2	2			2					1.6	
Mount Wilson			2	2	1	1.5		1	1	0			2					2				3					2.5	3	3.5	4	3.5	2.1
Tokyo	2						0	0					2	2		0			3	2	1	2	3	2	4		3	3	3		2.0	
Mean	2	2	2	1.8	1	1.2	0.8	0.7	0.8	0.2	0.1	1.3	1.8	1.8	1.4	0.5	1	1.5	2.5	1.8	1.8	1.8	1.9	1.8	2.8	2	2.5	2.4	3	3	2.9	1.7

** = Low weight.