


BULLETIN FOR CHARACTER FIGURES OF SOLAR PHENOMENA

Published by the

Eidgen. Sternwarte in Zürich



Co-operating Observatories: Arcetri-Firenze, Cambridge (England), Catania, del Ebro, Ewhurst (Mr. Evershed), Greenwich and Capetown, Kodaikanal, Lyons, Kiew, Meudon-Paris, Mount Wilson, Roma/Campidoglio, South Hadley, Stonyhurst, Tokyo, Zürich.

Character Figures for Calcium-Flocculi.

The character figures are assigned on the scale of 0, 1, 2, 3, 4, 5. The numbers refer to the area and intensity of the flocculi; 0 representing absence or rarity, 5 extreme abundance and intensity. As central zone a circular surface of a semi-diameter of the sun's disc has been taken.

Whole Sun Disc

Observatory	January																															Mean	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
Cambridge/Kodaikl. del Ebro	4e	4e	4	4	4	4	3		3	3	3	3	3	3e	3	3	3e	3e	3	3	3e	3e	3e	3e	3e	3e	3e	3	3	3	3	3e	3.2
Meudon		2.5	2	1.5	2.5		2.2	2.5	2		2				3.2	3	2	3												1.9	1.7	2.2	2.3
Mount Wilson	K3	3	3									4	4							4	4											3.6	
Tokyo	K2	3		3		3			3	3	4	3	3	3										3	3	3		3		3	2	3.0	
Mean		3.3	3.2	3	2.8	3.2	4	2.6	2.8	2.7	3.5	2.7	3.3	3.3	3	3.1	3	3	3	3.5	3.5	3	2.9	2.8	3.1	3.1	2.7	2.7	3	2.4	2.2	2.6	3.0

Observatory	February																															Mean
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
Cambridge/Kodaikl. del Ebro	3e		3	2	2	3	4	4	4	4	3e	3e	3e	3	3	3	3	3	3	3	2	2	3	3	3	3	3	3	3	3	3e	3.0
Meudon					1.7	2.2	2.7								2.7	2.5					2.2			2.2	2.2			2.2	2.2	2		2.5
Mount Wilson	K3		3	3	3		4	4		4	4	4	4	4	4	4	4			3	3	3	3	3							3	3.5
Tokyo	K2		3	2						3	3	3	3	3	3	4	3			4	3	3	3	3				3	3			3.1
Mean		3	3	2.7	2.2	2.6	3.4	4	3.5	3.3	3.3	3.3	3.3	3.2	3.7	3.2	3.2	3	3.1	3	2.7	2.7	2.8	2.7	3	2.6	2.7	2.8				3.0

Observatory	March																															Mean	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
Cambridge/Kodaikl. del Ebro	3e	3	3	3	3	3	3e	3e	3e	3e	3e	3e	3	3	3	3	3	3	3	2	2e	2e	2e	2	2	2	2	2e	2e	2	2	2.6	
Meudon						2.7							3.2	3.2	3	2.7	3				2.7	2.2	2	2	1.7						2.4		
Mount Wilson	K3	3	3	3	4		4	4	4	4	4	4	4	4	4	4	3	3a	3	3	3	3	3	3	3	3	3	2	2	3	3	3.3	
Tokyo	K2	2	3	3	3	2		3	3			4	3	3e	3	3	3	2	3	2	2a				3	2	2	2	2	2	2	2.6	
Mean		2.5	3	3	3	3	2.9	3.3	3.3	3.5	3.5	3.7	3.3	3.1	3.3	3.2	3.3	2.7	2.9	2.6	2.3	2	1.9	2.5	2.5	2.6	2.3	2.3	2	2	2.3	2.3	2.8

Central Zone

Observatory	January																															Mean	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
Cambridge/Kodaikl. del Ebro	2	3	2	2	1	1	2		2	1	1	1	2	2	2	1	2	2	1	1	2	2	2	2	1	2	2	2	1	1	2	1.7	
Meudon		2.5	1.7	1.2	1.2			2.2	1.5		1.5				3	2.7	2.7b	2.5b														1.8	
Mount Wilson	K3	4	3									2	3			3				2	3										3.1		
Tokyo	K2	4		3		2			3	3	3	2	2	3	3									3	3	3		3	2	3	2.8		
Mean		3.3	2.8	2.2	1.6	1.4	1	2	2.6	2.2	2	1.5	1.7	2.7	2.5	2.5	2.2	2.4	2.3	1.5	2	2	2	2	2.1	2.6	2.2	2.4	2.5	1.2	1.6	1.6	2.1

Observatory	February																															Mean	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
Cambridge/Kodaikl. del Ebro	2		1	1	1	2	2	1	1	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1.4	
Meudon					1.2	1.7	2			1.7	4	4.2	4	4.2	4.2	2	2.2	1.5															2.5
Mount Wilson	K3		1	2	2			3	3			4	5	4	4	3	3	1		1	2	2	3	3								2.8	
Tokyo	K2		3	2				3	3	3	4	4	4	4	3	3				3	3	3	3	3	3			4	4		3.3		
Mean		2	1	2	1.6	1.8	2	2	2.2	3	3.6	3.8	3.1	3.1	2.3	2.3	1.2	1	1.6	2	2	2.3	2.4	1.8	1	1.5	2.9	3.2			2.2		

Observatory	March																															Mean	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
Cambridge/Kodaikl. del Ebro	2	2	1	1	1	1	2	2	2	2	2	1	1	2	2	1	1	1	0	0	1	1	1	0	1	1	1	1	1	1	0	1.2	
Meudon		2.5				2.2						2.7b	2.2	2.5	2.2	1.7			1.2	1.2	1.7	2	2								1.8		
Mount Wilson	K3	4	2	1		1		3	4	5	5	4	4	3	3	2	1	1	1	2	2	3	2	1	1	2	3	3	3	3	0	2.5	
Tokyo	K2	3	3	3	2	1		3	3			4	3	2	3	3	2	2	2	1	3						3	3	3	3	2	0	2.5
Mean		2.9	2.3	1.7	1.5	1	1.6	2.7	3	3.5	3.5	3.3	2.7	1.7	2.6	2.6	1.7	1.3	1.3	0.8	1.7	1.5	2	1.5	0.5	1.3	2	2.3	2.3	2.2	2	0.1	2.0

a) Protuberance éruptive intense dans le quadrant sud-ouest ($\varphi = 11^\circ$).

b) Gruppo muy notable.
c) Bright K2 large group.

d) Bright K2 following large spot.
e) Days of special disturbance.

International Astronomical Union

BULLETIN FOR CHARACTER FIGURES OF SOLAR PHENOMENA

Published by the

Eidgen. Sternwarte in Zürich

Co-operating Observatories: Arcetri-Firenze, Cambridge (England), Catania, del Ebro, Ewhurst (Mr. Evershed), Greenwich and Capetown, Kodaikanal, Lyons, Kiew, Meudon-Paris, Mount Wilson, Roma/Campidoglio, South Hadley, Stonyhurst, Tokyo, Zürich.

Character Figures for Calcium-Flocculi.

The character-figures are assigned on the scale of 0, 1, 2, 3, 4, 5. The numbers refer to the area and intensity of the flocculi; 0 representing absence or rarity, 5 extreme abundance and intensity. As central zone a circular surface of a semi-diameter of the sun's disc has been taken.

Whole Sun Disc

Observatory	April																															Mean
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
Cambridge/Kodaikl.	2	2	2	2	3	3	3	3	3	3	2	2	2	2	2	2	2	3	3	3	3	2	2	2	2	2	1	1	2	2	2	2.3
del Ebro	2.2	2.2	2.5	2.5	2.2	2.7	2.7	2.5	2.2	2.5	2.7			2.5		2.5	2.2	2.2	2.2	3	3	3	3	2	2	1.7		2	2	2.2	2.4	
Meudon	K3	3	3	3	3	4	3	3	3	3			3	3			3	3	3	3	3	3	3	3	2	3	2	2	2	2	2.9	
Mount Wilson	K2	2	3			3	3	3	3	3	3	3	3	2		2	3	3		3	3		3	3	2	2	2	2	2	2	2.6	
Tokyo																														2	2.0	
Mean	2.3	2.6	2.5	2.5	2.6	3.2	2.9	2.9	2.8	2.9	2.6	2.5	2.7	2.4	2.0	2.2	2.6	2.8	2.7	3.0	3.0	2.5	2.7	1.9	2.3	1.5	1.8	2.0	2.0	2.1	2.5	

May

Cambridge/Kodaikl.	2	2	3	2	2	3	3	3	3	3	2	2	2	2	2	2	2	2	2	2	2	2	1	1	2	2	2	2	3	3	2.2
del Ebro	2.7			2.7	3		3		2.7		2.7	3	3	2.7	2.5	2	2					1.2	1.2			2.2	2.2	2.2	2	2.5	2.4
Meudon	K3			4		4	4	4	3	3	3	3	4	3	3	3	3	3	2	2	2	3	3	3	4	4	3	3	3	3	3.2
Mount Wilson	K2	3	3	3	3	4	3	3	4	3	3	3	3	3	3	3	3	3	3	3	2	2	2	2	2	3	3	3	3	4	3.0
Tokyo						3																		2		3				2.7	2.7
Mean	2.6	2.5	3.0	2.9	3.0	3.0	3.3	3.3	3.4	3.0	2.7	2.7	2.8	3.0	2.7	2.6	2.5	2.5	2.5	2.3	2.0	1.8	1.8	2.0	2.7	2.8	2.8	2.4	3.0	2.8	2.7

June

Cambridge/Kodaikl.	2	2			3	2	2	2	2	2	2	2	2	3	2	2	2	2	2	3	3	3	3	3	3	2	3	3	3	3	2.4
del Ebro	2.2	2.2	2	2	2.2	2.2	2.2	2.2	2.7		2	2	2	3.5	2.5	2.5	2.2	3	3.2	3.5	3.2	3.5	3.5	3.5	3	3	3.2	3.2	3.5	3.2	2.8
Meudon	K3	3	3			3	3	3	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	3	3	4	4	3.4
Mount Wilson	K2	4	4	3	3					4								3	3	3	3	3	3	3	3	3	3	3	3	3	3.1
Tokyo																														3.0	3.0
Mean	2.8	2.8	2.5	2.5	2.6	2.1	2.4	2.4	2.9	2.7	2.8	2.9	2.9	3.1	2.3	2.6	2.6	2.8	3.0	3.4	3.2	3.2	3.4	3.5	2.8	3.0	3.1	3.5	3.4	2.9	

Central Zone

Observatory	April																															Mean
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
Cambridge/Kodaikl.	1	1	1	1	2	2*	2*	2*	1*	1	1	1*	1	1	1*	1*	1*	2*	2*	1*	1	1	1	1	1*	1	1	1	1*	1	1.2	
del Ebro	0.5	0.7	1.5	1.2	2.2	3	3.2	3	1.7	2.2	1.2			2.2		2.7	3	2.5	2.2	2	2	2	2	2	2	2	1	1	1.7	2.0		
Meudon	K3	1	1	1	2				3	2	3	2		1	2			3	3	3	2	2	2	2	2	1	1	1	1	2.1		
Mount Wilson	K2	2	3			4	4	4	3	3	3	3	2	2	2	3	4	4		3	3	3	3	3	3	2	1	1	2	3	2.8	
Tokyo																														1	2.8	
Mean	1.1	1.4	1.2	1.4	2.1	3.3	3.3	3.3	2.2	2.1	1.7	1.5	1.3	1.8	1.0	2.2	2.8	2.9	2.4	2.0	2.0	1.5	2.0	2.0	1.3	1.0	1.0	0.9	1.5	1.9	1.9	

May

Cambridge/Kodaikl.	1*	1*	2*	2*	2*	1	1	1	1*	1*	1*	1	1	1	1	1	1	1*	1*	1*	1	1	1	0	0	1*	1*	1*	1*	1*	1.0
del Ebro	2.2			4	3.5		2.2		2		2.5	2.2	2	2	2	1.7	2.2					1	0.2		2.2	2	2	1.7	1.5	2.1	
Meudon	K3			5		2	2	3	3	3	3	2	2	3	3	2	3			3	2	1	0	0	2	3	4	4	4	3	2.5
Mount Wilson	K2	3	4	4	4	4	3	3	3	3	3	3	4	3	3	3	3	4	4	4	3	3	1	0	1	2	2	3	4	4	3.1
Tokyo						2																		1	2	2	3	4	4	4	3.1
Mean	2.1	2.5	3.0	3.8	3.2	2.0	2.1	2.0	2.3	2.3	2.3	2.1	2.3	2.0	2.3	2.3	1.9	2.6	2.5	2.7	2.0	1.0	0.0	0.5	1.7	2.0	2.5	2.3	3.0	2.7	2.2

June

Cambridge/Kodaikl.	1	1			1	1	1*	1*	1*	1	1	1*	1	1	1	1*	1*	1	1	1	1	1	2*	2*	2*	1	1	1			1.1	
del Ebro	1.5	1	1	0.7		1.2	1	2	2.7	2.7		2.2	2.2	2	1.7	2.2	2	2	1.7	1.2	1.5	2.2	3.2	4		2.2	2.2	2.2	2	2	1.9	
Meudon	K3	2	1				3	3	4	4	2	2	2	2	3	2	2	2	2	2	2	2	2	5	5	2	2	2	1	2	2.5	
Mount Wilson	K2	3	3	2	3				4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	3	2	2	3.1
Tokyo									3																					2.3	2.3	
Mean	1.9	1.5	1.5	1.9		1.1	1.0	2.0	2.2	2.9	3.0	2.3	2.4	2.0	2.2	1.6	2.3	2.0	1.5	1.2	1.6	2.0	3.1	3.8	3.8	2.6	1.8	2.1	1.7	2.0	2.1	

* Days of special disturbance.

International Astronomical Union

BULLETIN FOR CHARACTER FIGURES OF SOLAR PHENOMENA

Published by the Eidgen. Sternwarte in Zürich

Co-operating Observatories: Arcetri-Firenze, Cambridge (England), Catania, del Ebro, Ewhurst (Mr. Evershed), Greenwich and Capetown, Kodaikanal, Lyons, Kiew, Meudon-Paris, Mount Wilson, Roma/Campidoglio, South Hadley, Stonyhurst, Tokyo, Zürich.

Character Figures for Calcium-Flocculi.

The character figures are assigned on the scale of 0, 1, 2, 3, 4, 5. The numbers refer to the area and intensity of the flocculi; 0 representing absence or rarity, 5 extreme abundance and intensity. As central zone a circular surface of a semi-diameter of the sun's disc has been taken.

Whole Sun Disc

Table for July Whole Sun Disc with columns for Observatory, dates 1-31, and Mean. Observatories include Cambridge/Kodaikl., del Ebro, Meudon, Mount Wilson, and Tokyo.

August

Table for August Whole Sun Disc with columns for Observatory, dates 1-31, and Mean. Observatories include Cambridge/Kodaikl., del Ebro, Meudon, Mount Wilson, and Tokyo.

September

Table for September Whole Sun Disc with columns for Observatory, dates 1-31, and Mean. Observatories include Cambridge/Kodaikl., del Ebro, Meudon, Mount Wilson, and Tokyo.

Central Zone

Table for July Central Zone with columns for Observatory, dates 1-31, and Mean. Observatories include Cambridge/Kodaikl., del Ebro, Meudon, Mount Wilson, and Tokyo.

August

Table for August Central Zone with columns for Observatory, dates 1-31, and Mean. Observatories include Cambridge/Kodaikl., del Ebro, Meudon, Mount Wilson, and Tokyo.

September

Table for September Central Zone with columns for Observatory, dates 1-31, and Mean. Observatories include Cambridge/Kodaikl., del Ebro, Meudon, Mount Wilson, and Tokyo.

* Days of special disturbance.

International Astronomical Union

BULLETIN FOR CHARACTER FIGURES OF SOLAR PHENOMENA

Published by the
Eidgen. Sternwarte in Zürich

Co-operating Observatories: Arcetri-Firenze, Cambridge (England), Catania, del Ebro, Ewhurst (Mr. Evershed), Greenwich and Capetown, Kodaikanal, Lyons, Kiew, Meudon-Paris, Mount Wilson, Roma/Campidoglio, South Hadley, Stonyhurst, Tokyo, Zürich.

Character Figures for Calcium-Flocculi.

The character figures are assigned on the scale of 0, 1, 2, 3, 4, 5. The numbers refer to the area and intensity of the flocculi; 0 representing absence or rarity, 5 extreme abundance and intensity. As central zone a circular surface of a semi-diameter of the sun's disc has been taken.

Whole Sun Disc

Observatory		October																															Mean		
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31			
Cambridge/Kodaikl.	K2-3	2	2	2.5	2.5	2.5	2.5	2.5	2.5	3	2.5	2.5	2	2	2	2	2	1.5	1.5	1.5	1	1	1	1	1	1.5	2	2	2.5						1.9
	K2	2.5	2.2	2.5	2.2		2.5	3	3.5		3.5	3.5	3.5	3.5	3	3	3	2.5	2		1.5		1.7		1.5		2.2		3	3	3	3	3	3	2.7
Meudon	K3	2					3	3	3	3		3		3	3	3					2	2	2		1	2		3		3		3		2.6	
Mount Wilson	K2	2	2	2	3	3	2	2	3	3	3		3	3	3		2	2	2	1	2	1	1	2	2	2	2	2	2	2	2	2	3	2.2	
Tokyo	K2-3	2				3	3									3	3																	3	2.4
	Mean	2.1	2.1	2.2	2.6	2.8	2.6	2.6	3	2.8	3.2	3	3	2.8	2.8	2.8	2.5	2.2	1.9	1.2	1.8	1.5	1.4	1.5	1.3	1.7	1.9	2.3	2.5	2.6	2.5	3	2.3		

November

Cambridge/Kodaikl.	K2-3	2	2		2.5	2.5		2.5	3	3	2.5		2.5	2.5	2.5	2	2	2	2	2	2	2	2	2	2	2	2.5	2.5	3	3	3	3	3	2.4
	K2	2.5	3	3	3.2			3.5			3.5	3.5		3.7		3.5			3.5	3.2	3		2.5					4.2		4.2				3.3
Meudon	K3			4			4		4		4	4		3			2	2	2	2		2	3		4		4		4		4		3.1	
Mount Wilson	K2	3	3	3	3	4	3	4	4	4	4	3	4	4	3	3	3		3	2	3	2	2	2	3	3	3	3	4	4	5		3.2	
Tokyo	K2-3			3	3	3	3			3										3		3							4	4	4			3.2
	Mean	2.8	2.7	2.8	3.3	3.2	2.8	3.8	3.3	3.5	3.5	3.3	4	3.4	2.8	2.8	2.8	2	2.6	2.4	2.5	2.3	2.2	2	3	2.8	3.1	3.6	3.7	3.8	4		3.0	

December

Cambridge/Kodaikl.	K2-3	3		3	3	3	2.5	2.5		2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	3.5	3.5	3.5	3.5	3.5	3.5	3	2.8
	K2	4.2	4.7	4.2	4	3.5	3.2		2.7	3.2	3.5	3.7	4	4	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	3.5			3.7	4	4	4	3.5	3.7	3		3.8
Meudon	K3	4				4	3		3		3	3	4	4			4	4			4	4			4		4		4		4		4	3.8
Mount Wilson	K2	5	4	4	3	3	3	3	2	2		3	3	4	4	4		3	3	3	3	3	3	3	3	3	3	5	5	5	5		3	3.5
Tokyo	K2-3	4	4	4	4		4	3		3	3							4							4	4	4	4	4					3.5
	Mean	4	4.2	3.8	3.5	3.2	3.3	2.9	2.4	2.7	3	3.1	3.4	3.6	3.6	3.6	3.4	3.4	3.4	3.2	3.3	2.8	3	3.2	3.7	4	4.1	4.1	4	4.1	3.3	3.3	3.4	

Central Zone

Observatory		October																															Mean	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
Cambridge/Kodaikl.	K2-3	1				1*	1.5*	1	1	1	1*	1.5*	1.5*	1.5	1.5	1	0	0	0.5	1	1	0.5	0.5	0.5	0.5	0.5	0.5	1	0.5	1	2			0.9
	K2	2.7	2.2	2.2	2.2		3	2.5	1.5		2.2	3	3	3.5	3.2	1	0.5	0.5	0.5		0.7		0.5			1	1		2.2	3.2	3.2	3		2.0
Meudon	K3	3					3	2	1	1			3		3	1	0					2	1	1		1	1		3		3		3	1.9
Mount Wilson	K2	2	2	2	2	3	3	2	2	1*	3	3		4	4		0	1	1	1	2	1	1	1	1	2	2	2	2	3	3	3		2.1
Tokyo	K2-3	3				3	3							4	3					1						1							3	2.4
	Mean	2.4	1.7	2.1	1.7	2.3	2.7	1.9	1.4	1	2.1	2.5	2.5	3	3.1	1.5	0.1	0.5	0.8	1	1.4	0.9	0.8	0.8	1.1	1.2	1.3	1.8	1.6	2.8	3.1	3	1.7	

November

Cambridge/Kodaikl.	K2-3	1.5	1*		1	0.5		1*	1.5*	1.5*	1		1	1.5	1.5*	1.5	1.5	1	0.5	0.5	1*	1*			0.5	1	1.5*	1.5*	2*	2.5*			1.2	
	K2	2.7	2.5	2.7	3.5		2		2.5	3			2.7		4		4		1	1	1.5		2.2				3	3		4.5				2.6
Meudon	K3			3			2		4		3	3		4		3	1	1	2	2		2	2	2	2		3	3		4			2.5	
Mount Wilson	K2	4	3	3	4	3	3	4	4	4	4	3	3	4	4	5	4		1	1	2	2	2	2	2	2	3	4	4	4	5	4		3.3
Tokyo	K2-3			3	3	3	2			3										0	3	2	2			3	4	4	5				2.9	
	Mean	3.4	2.3	2.4	3.4	2.3	1.8	2.7	2.5	3.1	2.7	2.5	3	2.6	3.2	3.3	3.2	2.3	1	0.7	1.5	2	1.7	2	2	1.8	2.8	3.1	3.2	4.1	3.3		2.5	

December

Cambridge/Kodaikl.	K2-3	2.5*		1	1	1	1.5	1.5		1	1.5*	1.5*	1.5*	1.5	1.5*	1.5*	1.5*	1.5*	1.5	1	1					1.5*	2*	2.5*	2.5*	2	1.5		1.5
	K2	4	3.7	3.2	2	2.2	2.5		1.5	1.5	3.5	3.7	4	3.5	4.5	4.2	5	5	3						2.2	3	3.5	4	3.5	3	2.5		3.3
Meudon	K3	4				2	2			3	4	4	4					4		2	2				2		4		3			2	3.0
Mount Wilson	K2	5	4	3	3	3	3	3	2	1		3	4	4	3	4		4	3	2	3	2	3	3	3	3	4*	5	5	4		2	3.3
Tokyo	K2-3	5	4	4		3	2		2	2																3	3	4	5	5			3.6
	Mean	4.1	3.9	2.8	2.5	2.1	2.4	2.1	1.7	1.5	2.4	3.1	3.4	3.3	3	3.2	3.3	3.6	3.3	1.8	2.3	1.5	3	2.3	2.6	3.5	3.6	4	3.7	3.1	2.3	1.8	2.8

* Days of special disturbance.