

## II. SYNOPTIC CHARTS OF SOLAR MAGNETIC FIELDS

### Mount Wilson Observatory

These synoptic charts are constructed from the digital data of the daily magnetograms obtained at the 150-foot Tower Telescope at Mount Wilson. The spectrum line employed is 525.02 nm, Fe I. The magnetograph at the Tower Telescope measures only the longitudinal component of the Zeeman effect. The aperture is a square of either 12.5 or 20.0 arc-seconds on a side and the whole sun is covered in each magnetogram. The digital image is built up over an interval of either 50 minutes for the small aperture or 30 minutes for the larger aperture by scanning the solar image over the spectrograph entrance slit boustrophedonically.


The synoptic chart is built up using all observations available for each point of the solar surface during a specified Carrington Rotation. The point position is based on its Carrington coordinates at the time of central meridian passage. Observations taken when the point is not on the central meridian are corrected for differential rotation to obtain the position which corresponds to that at central meridian passage. The measurement shown is the weighted average of all these observations using a weight function which is the cosine of the central meridian distance. The color coding of the resulting average fields is linear in blue and red with the blue saturated for fields larger than 20 gauss and the red saturating for fields more negative than -20 gauss.

This project was initiated under the auspices of the Carnegie Institution of Washington through their Mount Wilson and Las Campanas Observatory in Pasadena, CA. It is currently operated by UCLA in agreement with the Mount Wilson Institute which has offices at 740 Holladay Road, Pasadena, CA 91106. Partial support for the project is provided by NASA, NSF and ONR.



Roger K. Ulrich

# II-2(2000)

1/15/00 6.7002 5250.2A PORT SEP. = 77.78 MA B0 = -4.52  
ROTATION 1958.50, CENLON 180.000





2/11/00 14.9185 5250.2A PORT SEP. = 77.74 MA B0 = -6.64  
ROTATION 1959.50, CENLON 180.000





II-3(2000)

3/ 9/00 22.8704 5250.2A PORT SEP. = 78.20 MA B0 = -7.23  
ROTATION 1960.50, CENLON 180.000





4/ 6/00 6.0781 5250.2A PORT SEP. = 77.62 MA B0 = -6.21  
ROTATION 1961.50, CENLON 180.000







# II-4(2000)

5/ 3/00 12.2459 5250.2A PORT SEP. = 77.68 MA B0 = -3.88  
ROTATION 1962.50, CENLON 180.000




5/30/00 17.4762 5250.2A PORT SEP. = 77.71 MA B0 = -0.78  
ROTATION 1963.50, CENLON 180.000




II-5(2000)

6/26/00 22.2390 5250.2A PORT SEP. = 77.90 MA B0 = 2.45  
ROTATION 1964.50, CENLON 180.000





7/24/00 3.1198 5250.2A PORT SEP. = 77.67 MA B0 = 5.19  
ROTATION 1965.50, CENLON 180.000







II-6 (2000)

8/20/00 8.5519 5250.2A PORT SEP. = 78.01 MA B0 = 6.89  
ROTATION 1966.50, CENLON 180.000




9/16/00 14.7008 5250.2A PORT SEP. = 77.72 MA B0 = 7.17  
ROTATION 1967.50, CENLON 180.000




II-7(2000)

10/13/00 21.4260 5250.2A PORT SEP. = 77.46 MA B0 = 5.93  
ROTATION 1968.50, CENLON 180.000



11/10/00 4.5838 5250.2A PORT SEP. = 77.53 MA B0 = 3.36  
ROTATION 1969.50, CENLON 180.000



II-8(2000)

12/ 7/00 12.1228 5250.2A PORT SEP. = 77.60 MA B0 = 0.01  
ROTATION 1970.50, CENLON 180.000

