

IGY, IGC

フランス データ

最終値

HAUTE-PROVENCE
TAMANRASSET

5577

Na D

OH

Date	TU 18	19	20	21	22	23	0	1	2	3	4	5
30-1					(430)	(335)	(375)	(650)				
1-2						360	410	545				
2-3						475	415	365				
3-4						525	515	465				
4-5							290	365				
5-6							350	315				
6-7								320				
19-20					350							
20-21					-							
21-22					400	360						
22-23					(275)	(335)	405					
23-24					360	400	365	570				
24-25					430	500	660	655	425			
25-26					355	320	325	430	505			
26-27					260	340	335	420	530			
27-28					440	415	375	345	425			
28-29					440	565	430	435	545			
29-30					420	390	415	515	570			
30-31					350	315	350	645	640			
31-1					270	220	310	440	355			

Observatoire de
Haute-Provence

Août 1957

5577
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2						295	280						
2-3							295	345	350	300			
3-4								190	200	245			
4-5													
5-6													
18-19					195	220							
19-20					115	165							
20-21					200	215	255						
21-22					355	385	315	295	270				
22-23					290	270	(275)	(290)	285	270			
23-24					280		195	230	285	390	400		
24-25					225	245	210	165	210	285	330		
25-26					235	230	255	235	225	205	245		
26-27					285	260	150	185	155	175	210		
27-28					190	190	250	240	270	325	305		
28-29					300	410	395	310	260	310	320		
29-30					180	175	210	215	245	(205)	175		
30-31													
31-1						200	175	145	140	170	150		

Observatoire de
Haute-Provence

Octobre 1957

5577
Valeurs dépouillées

Date	TU 18	19	20	21	22	23	0	1	2	3	4	5
1-2												
2-3								550	370	335		
3-4									490	530		
14-15		430	480									
15-16		400	365	450								
16-17												
17-18		405	380	530	570	595						
18-19												
19-20												
20-21		375	375	520	570	600	570	480	540			
21-22			535	455	480	500	440	535	610	505	455	
22-23		615	500	535	600	585	700	500	495	465	485	
23-24		575	570	515	630	675	745	560	645	585	650	
24-25		750	705	605	710	715	730	735	720	745	755	
25-26		455	435	540	395	375	525	625	570	525	565	
26-27			450	615	560	460	500	555	550	540	530	
27-28				445	(365)	300	495	525	515	465		
28-29					530	610	720	605	455	455	470	
29-30						590	625	695	640	570	515	
30-31							455	565	685	755	650	
31-1								590	550	580	545	

Date	TU 18	19	20	21	22	23	0	1	2	3	4	5
1-2												
10-11												
11-12												
12-13												
13-14			280		440							
14-15												
15-16												
16-17	120	130	120	135	150	120	130	140	165			
17-18	130	140	130	140	175	235	195	150	140	130		
18-19	190	245	320	435	420	400	230	210	255	305	320	290
19-20	295	290	230	265	485	430	450	235	170	260	230	260
20-21	225	195	185	225	235	315	300	240	220	430	275	225
21-22	260	215	200	265	270	430	295	290	190	220	235	430
22-23												
23-24												
24-25												
25-26												
26-27					435	(370)	450	460	325	415	440	320
27-28						675	610	525	515	475		295
28-29							650	765	610	400	330	605
29-30								600	635	715	670	500
30-31									670	730	580	585
31-1										515	510	505

Observatoire de
Haute-Provence

Janvier 1958

5577
Valeurs dépouillées

Date	TU 18	19	20	21	22	23	0	1	2	3	4	5
9-10		250										
10-11												
11-12		205	250	365	380	375						
12-13					380	465	435					
13-14		250	405	360	375	(455)	500	530				
14-15		205	390	420	585	575	680	515	440			
15-16		225	290	410	555	610	630	550	465	445		
16-17		355	320	410	475	745	845	765	715	445	465	
17-18		285	325	395	440	380	405	395	320	355	255	315
18-19		285	220	215	280	255	305	275	265	250	245	210
19-20		185	230	260	320	310	340	235				
20-21												
21-22		440	475	445	595	585	545	395	305	445	560	525
22-23												
23-24					770	750	835	795	640	545		
24-25					490	565	590	565	445	405	270	175
25-26												
26-27												
27-28								375	285	285	210	155
28-29									205	235	240	185

Observatoire de
Haute-Provence

Mars 1958

5577
Valeurs dépouillées

Date	TU 18	19	20	21	22	23	0	1	2	3	4	5
8-9			205	180								
9-10			210	230	205							
10-11												
11-12			225	225	195	175	195					
12-13												
13-14					210	215	240					
14-15					365	(240)	215	250	360			
15-16			265	265	215	220	285	375	340	295		
16-17												
17-18												
18-19			270	270	280	370	330	355	335	370		
19-20							305					
20-21			380	255	275	285	250	285	320	300		
21-22			205	240	245	275	260	215	185	170		
22-23				180	185	220	175	140	145	165		
23-24												
24-25												
25-26												
26-27							280	280				
27-28								280	230	215		

Date	TU 18	19	20	21	22	23	0	1	2	3	4	5
7-8			165	190	200							
8-9			180	180	190	210						
9-10			200	240	245	245	240					
10-11						380	270	255				
11-12			250	305	325	425	440	325				
12-13				410	510							
13-14												
14-15												
15-16												
16-17				205	290							
17-18				210	190	175	180	175	180			
18-19				175	200	195	255	230	220			
19-20				210	250	290	265	365	345			
20-21				505	515	500	440	450	480			
21-22				425	295	285	(335)	385	450			
22-23												
23-24						125	135	125	105			
24-25												
25-26								360	305			
26-27								275	235			

Observatoire de
Haute-Provence

Juin 1958

5577
Valeurs dépouillées

Date	TU 18	19	20	21	22	23	0	1	2	3	4	5
7-8					465	325						
8-9					235	325						
9-10												
10-11					610	555						
11-12					205	270	385					
12-13					315	395	445					
13-14					395	420	375	455				
14-15					470	620	605	325				
15-16					345	355	430					
16-17					200	300	390	440				
17-18												
18-19												
19-20					560	635	550	565				
20-21												
21-22							335	405				
22-23						170						
23-24												
24-25							340	390				

Observatoire de
Haute-Provence

Juillet 1958

5577
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
8-9						(440)							
9-10													
10-11						295	330						
11-12						210	185	245					
12-13						190	185	165	145				
13-14						240	235	200	200				
14-15						275	340	555	720				
15-16							325		335				
16-17							250	230	250				
17-18						290	250	235	300				
18-19						315	380	550	405				
19-20						195	260	290	395				
20-21						325	320	305	300				
21-22						240	(250)						
22-23							280	230	315	405			
23-24													
24-25								285	370	440			
25-26									(425)	305			

Observatoire de
Haute-Provence

Août 1958

5577
Valeurs dépouillées

Date	TU 18	19	20	21	22	23	0	1	2	3	4	5
8-9				225	320	335						
9-10				385	385	400						
10-11				265	275	335	420					
11-12					605	430	365	430				
12-13				240	275	425	535	395				
13-14				325	375	400	435	590	340			
14-15				190	195	225	245	235	320			
15-16				335	415	485	550	715	625			
16-17				370	405	475	400	360	465			
17-18				455	480	585	530	610	415			
18-19				(245)								
19-20				195	195	240	215	165	235			
20-21												
21-22												
22-23							275	235	270	235		
23-24								240	235	185		
24-25									260	180		

Date	TU 18	19	20	21	22	23	0	1	2	3	4	5
5-6			360	345								
6-7			325	395	345							
7-8			585	495	490	430						
8-9			820	845	700	575	430					
9-10			380	420	535	510	445	560				
10-11				385	370	320	280	280	280			
11-12			320	355	405	415	325	305	295	275		
12-13			340	390	510	525	415	360	465	545		
13-14			590	705	610	610	550	600	545	520		
14-15			490	590	730	655	580	(490)	490	585		
15-16			565	635	(650)	655	605	535				
16-17					440	(490)	545	495	470			
17-18												
18-19					365	395	445	350	365	510		
19-20						370	340	290	365	360		
20-21									400	350		
21-22												
22-23									375	345		
23-24										485		

Observatoire de
Haute-Provence

Octobre 1958

5577
Valeurs dépouillées

Date	TU 18	19	20	21	22	23	0	1	2	3	4	5
4-5												
5-6		530										
6-7												
7-8												
8-9		685	675									
9-10		740	660	520	490	(495)						
10-11												
11-12												
12-13		310	260	275				335	310	370	280	
13-14		350	355	375	410	(340)	(290)					
14-15		600	705	650	630	655	565	505	455	545	665	
15-16					695	695	665	565	510	745	970	
16-17			650	640	585	495	665	515	565	695		
17-18				660	665	590	570	520	655	780	1000	
18-19					600	505	560	595	505	555	610	
19-20						500	610	430	470	570	635	
20-21							640	860	890	770	840	
21-22									740	705	895	
22-23									945			

Observatoire de
Haute-Provence

Janvier 1959

5577
Valeurs dépouillées

Date	TU 18	19	20	21	22	23	0	1	2	3	4	5
1-2	275	(260)	295	370	360	330						
2-3												
3-4		400	285	270	395	375	560	540				
4-5		255	265	355	415	490	720	825	745			
5-6		340	380	395	420	655						
6-7		365	435									
7-8		655	795	1055	(1095)	920						
8-9		585	715	715	760	775	1030	930	810	830	795	785
9-10	680	600	435	470	675	790	935	1125	1085	995	710	520
10-11		335	445	615	595	645	760	685	500	490	515	440
11-12			240	350	480	440	375	350	420	475	400	300
12-13				325	345	370	455	620	505	405	385	335
13-14												
14-15										315	290	235
15-16							415	425	400	365	340	295
16-17								335	355	410	405	360
17-18									525	415	460	430
18-19												
19-20												
27-28		295										
28-29		175	195	230								
29-30		260	250	265	345							
30-31		165	225	300								
31-1		255	240	295	315	420	510					

Observatoire de
Haute-Provence

Février 1959

5577
Valeurs dépouillées

Date	TU 18	19	20	21	22	23	0	1	2	3	4	5
1-2												
2-3												
3-4												
4-5												
5-6		200	160	165	155	150	190	225	245	225	235	190
6-7		190	190	165	140	155	160	175	195	190	185	150
7-8		140	125	115	145	190						
8-9		130	130	135	125	115	140	165	145	155	125	125
9-10			130	140	200	160	160	185	220	180	180	195
10-11				145	155	185	170	185	155	110	165	165
11-12					215	230	160	130	155	135	145	
12-13						85	90	95	(85)	95	105	
13-14							120	125	120	115	145	
14-15							170	255	250	275	225	
15-16												
16-17									330	325	335	
17-18												
18-19												
26-27		270	265	265								
27-28		265	255	250	295							
28-1		280	355	395	465							

Observatoire de
Haute-Provence

Mars 1959

5577
Valeurs dépouillées

Date	TU 18	19	20	21	22	23	0	1	2	3	4	5
1-2		385	360	410	485	585	770					
2-3			405	290	295	440	540	570				
3-4												
4-5												
5-6			330	350								
6-7												
7-8			485	525	545	630	765	515	540	485	520	
8-9			365	(315)	270							
9-10			385	335	330	(325)	(315)					
10-11			240	240	255	300	290	260				
11-12												
12-13							285	(320)	345	370	380	
13-14					285	250	300	410	380	360	370	
14-15						235	220	250	300	335	340	
15-16							240	225	240	295	350	
28-29												
29-30												
30-31				235	225	240	305					
31-1			175	215	240	250	270	330				

Observatoire de
Haute-Provence

Avril 1959

5577
Valeurs dépouillées

Date	TU 18	19	20	21	22	23	0	1	2	3	4	5
1-2			245	345	385	325	205	285	345			
2-3			280	340	395	370	425	490	355			
3-4			405	425	475	460	460	485	445	445		
4-5			320	360	345	375	330	380	445	415		
5-6			240	305	320	335	390	350	345			
6-7							370					
7-8												
8-9			210	290	320	320	250	230	210			
9-10			215	225	(240)							
10-11						375	435	315	305	315		
11-12					555	500	375	365	380	370		
12-13						305	280	330	375	355		
13-14							160		180	185		
14-15								225	210	220		
26-27												
27-28												
28-29												
29-30												
30-1						(150)	150					

Observatoire de
Haute Provence

MAY 1959

5577
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2					185	165	195	195					
2-3					265	155	150	130	145	210			
3-4					185	195	170	135	135	170			
4-5					230	285	275	250	205	190			
5-6						235							
6-7													
7-8					355	330	305	350	(340)	290			
8-9							250	275					
9-10						530	525	475	495	360			
10-11													
11-12						360	305	385	(380)	365			
12-13							435	(410)	450				
13-14								435	410	395			
14-15								345	345	385			
15-16									140	195			
27-28						300	225						
28-29						(530)	(490)						
29-30						360	405	410					
30-31						450	455	485					
31-1						600	600	625	760				

Observatoire de
Haute Provence

JUIN 1959

5577

Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2						(395)	355	350					
2-3						345	360	390	460				
3-4						425	485	540	580				
4-5						575	545	540	660				
5-6						275	285	405	540				
6-7						440	550	455	430				
7-8						375	335	315	335				
8-9						420	435	380	360				
9-10						440	410	385	475				
10-11							390	425	420				
11-12							330	380	505				
12-13								425	595				
13-14								490	510				
14-15													
27-28						360	325						
28-29						400	335						
29-30							390						
30-1						345	415	435					

Observatoire de
Haute Provence

JUILLET 1959

5577

Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2						375	300	360	360				
2-3						300	325	250	330				
3-4						580	525	385	400				
4-5						310	280	255	355				
5-6						475	430	305	355				
6-7						285	355	465	430				
7-8						590	(555)	500	(450)				
8-9													
9-10													
10-11						350	365	475	630				
11-12							555	540	440				
12-13							390	435	565				
13-14													
14-15													
26-27						760							
27-28						450							
28-29													
29-30						405	375	355					
30-31													
31-1						450	505	440	400				

Observatoire de
Haute Provence

SEPTEMBRE 1959

5577
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2													
2-3													
3-4					250	260	270	225	235	240			
4-5					260	210							
5-6													
6-7					500	400	330	325	375				
7-8								280	290	225	240		
8-9						215	185	200	260	210	170		
9-10							275	205	285	235	215		
10-11								200	230	225	215		
11-12									155	175	265		
12-13										355	285		
21-22													
22-23				415									
23-24													
24-25													
25-26													
26-27													
27-28			320	330	(360)								
28-29							335	380	345	285			
29-30				405	455	(490)	510	375					
30-1						575	615	485	360	270	310		

Observatoire de
Haute Provence

OCTOBRE 1959

5577

Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2													
2-3			375	385	395	405	400	305	270	340	400	495	
3-4			285	285	275	265	345	315	265	240	310	265	
4-5				400	365	320	310	295					
5-6					280	305	320	(380)	415	345			
6-7					350	435	390	340					
7-8						275	225						
8-9													
9-10								270	(265)				
10-11									230	220	235	275	
11-12										335	330	495	
21-22			390	425									
22-23													
23-24			520	525									
24-25			575	635	635	495							
25-26			465	450	460	595	590						
26-27													
27-28													
28-29													
29-30			420	395	460	475	460						
30-31				425	445	545	585	595	645	700	(550)	445	
31-1			410	395	440	460	480	495	495	570	590	555	

Observatoire de
Haute-Provence

DECEMBRE 1959

5577

Valeurs Dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2													
2-3			485	485	495	515	695	725	630	685	615	615	535
3-4				505									
4-5					535	710	630	525	555	495	465	520	
5-6						430	565	555	525	330	365	350	315
6-7													
7-8													
8-9										185	225	260	280
9-10													
19-20	440	410	355										
20-21	340	275	(295)										
21-22						370							
22-23	220												
23-24													
24-25													
25-26													
26-27													
27-28					(315)	325	(340)	320	315	(270)			
28-29		295	295	375	450	600	385	325	345	340	500	560	
29-30						500							
30-31	265	225	260	220	340	345	260	250	260	315	295	290	
31-I			240	(260)	285	300	345	370	285	255			