

IGY, IGC

フランス データ

最終値

HAUTE-PROVENCE
TAMANRASSET

5577

Na D

OH

Observatoire de
Haute Provence

JUILLET 1957

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
30-1						(0)	(35)	(25)	(60)				
1-2							20	0	-15				
2-3							15	15	25				
3-4							50	60	50				
4-5								25	25				
5-6								30	35				
6-7									25				
19-20						35							
20-21													
21-22						25	40						
22-23						(55)	(35)	10					
23-24						40	35	40	20				
24-25						45	20	10	20	25			
25-26						25	50	25	35	25			
26-27						10	25	25	5	35			
27-28						20	40	40	45	25			
28-29						60	35	40	70	70			
29-30						30	40	40	25	55			
30-31						15	30	25	10	25			
31-1						40	35	25	0	15			

Observatoire de
Haute Provence

AOÛT 1957

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2						65	35						
2-3							45	45	40	60			
3-4								25	20	15			
4-5													
16-19					70	65							
19-20					80	55							
20-21					15	15	25						
21-22					5	10	15	15	25				
22-23					45	45	(50)	(45)	50	40			
23-24					45		55	50	35	30	15		
24-25					55	55	35	30	25	20	30		
25-26					45	45	20	35	35	45	25		
26-27					45	40	60	55	55	40	50		
27-28					25	35	40	30	35	25	20		
28-29					40	50	75	70	75	75	85		
29-30					65	55	55	50	45	(60)	50		
30-31													
31-1						65	55	50	40	15	25		

OBSERVATOIRE DE
Haute Provence

OCTOBRE 1957

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2													
2-3									65	75	75		
3-4										65	75		
14-15			35	25									
15-16			35	40	35								
16-17													
17-18			75	75	50	30	20						
18-19													
19-20													
20-21			115	100	80	80	75	80	95	100			
21-22				60	75	75	80	85	85	65	105	115	
22-23			85	115	90	60	65	75	100	110	85	90	
23-24			85	90	95	85	80	80	100	105	100	75	
24-25			75	80	90	80	80	110	100	90	90	95	
25-26			90	85	75	75	70	60	55	65	50	55	
26-27				60	25	65	120	85	80	115	115	105	
27-28					125	115	115	120	150	160	140		
28-29						100	90	90	125	150	150	140	
29-30							85	75	100	115	150	150	
30-31								95	75	75	70	100	
31-1									65	80	100	110	

Observatoire de
Haute Provence

DECEMBRE 1957

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2													
13-14			120			185							
14-15													
15-16													
16-17	110	110	110	110	105	120	95	90	120				
17-18	80	70	80	85	75	80	85	75	60	85			
18-19	85	65	60	55	75	115	135	150	145	110	85	115	
19-20	115	90	95	100	120	140	100	125	100	115	100	105	
20-21	115	100	110	90	90	95	105	125	105	115	105	110	
21-22	135	110	100	70	75	105	145	140	115	75	95	100	
22-23													
23-24													
24-25													
25-26													
26-27						80	(75)	75	75	90	85	95	95
27-28							85	80	70	70	85		60
28-29								85	75	100	130	110	100
29-30									110	100	90	115	125
30-31										120	120	120	125
31-1											75	75	75

Observatoire de
Haute Provence

JANVIER 1958

OR
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
9-10			105										
10-11													
11-12			105	120	110	125	85						
12-13						110	95	100					
13-14			105	70	100	95	(80)	75	75				
14-15			100	95	130	100	85	90	100	105			
15-16			75	100	90	70	65	105	145	140	105		
16-17			115	115	90	85	90	95	115	115	145	130	
17-18			130	115	120	100	105	105	130	130	125	130	70
18-19			135	130	140	120	115	120	135	120	105	110	120
19-20			100	80	70	65	70	70	85				
20-21													
21-22			105	80	80	90	85	70	90	90	80	85	75
22-23													
23-24						85	80	75	105	115	130		
24-25						105	125	120	115	115	115	120	115
25-26													
26-27													
27-28									85	70	75	90	80
28-29										115	105	125	105

Observatoire de
Haute Provence

MARS 1958

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
8-9				145	130								
9-10				100	90	90							
10-11													
11-12				75	75	70	80	80					
12-13													
13-14						95	80	80					
14-15						45	(70)	80	85	80			
15-16				95	80	90	80	80	85	120	105		
16-17													
17-18													
18-19				95	90	95	90	95	90	105	105		
19-20								75					
20-21				70	85	65	60	80	75	60	55		
21-22				105	70	50	60	75	65	75	55		
22-23					80	90	85	80	70	65	60		
23-24													
24-25													
25-26													
26-27								80	70				
27-28									65	70	70		

Observatoire de
Haute Provence

AVRIL 1958

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
7-8				85	85	75							
8-9				70	90	90	115						
9-10				85	85	95	85	95					
10-11							75	95	75				
11-12				105	90	80	60	60	80				
12-13					100	100							
13-14													
14-15													
15-16													
16-17					75	45							
17-18					65	75	70	70	45	50			
18-19					70	55	55	65	55	55			
19-20					70	75	70	80	55	70			
20-21					65	65	70	90	75	70			
21-22					75	110	110	(110)	75	45			
22-23													
23-24							80	55	50	30			
24-25													
25-26									85	55			
26-27									40	50			

Observatoire de
Haute Provence

JUIN 1958

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
7-8						25	30						
8-9						50	25						
9-10													
10-11						30	45						
11-12						60	65	50					
12-13						85	60	40					
13-14						55	60	60	45				
14-15						55	50	45	35				
15-16						55	60	45					
16-17						50	50	45	40				
17-18													
18-19													
19-20						50	60	45	20				
20-21													
21-22								25	20				
22-23							60						
23-24													
24-25								35	40				

Observatoire de
Haute Provence

JUILLET 1958

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
8-9						(110)							
9-10													
10-11						75	65						
11-12						30	40	65					
12-13						25	35	50	45				
13-14						40	45	50	30				
14-15						15	15	-5	0				
15-16							30		20				
16-17							70	0	65				
17-18						30	35	30	25				
18-19						25	20	15	35				
19-20						20	25	25	15				
20-21						0	10	30	15				
21-22						25	(20)						
22-23							80	45	60	55			
23-24													
24-25								55	20	10			
25-26									(30)	50			

Observatoire de
Haute Provence

AOÛT 1958

OH
Valeurs dépouillées

Date	10	18	19	20	21	22	23	0	1	2	3	4	5
8-9					40	35	25						
9-10					10	25	25						
10-11					35	25	20	25					
11-12						70	60	85	50				
12-13					35	10	20	15	10				
13-14					50	65	45	70	55	95			
14-15					35	10	-5	20	30	25			
15-16					10	20	25	30	5	25			
16-17					5	25	10	5	25	35			
17-18					0	10	10	10	20	35			
18-19					(40)								
19-20					55	55	40	30	45	25			
20-21													
21-22													
22-23								55	40	65	75		
23-24									70	70	65		
24-25										55	40		

Observatoire de
Haute Provence

JANVIER 1959

CH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2	115	(120)	110	115	100	100							
2-3													
3-4		75	80	80	60	60	70	90					
4-5		80	55	60	90	60	60	85	95				
5-6		125	85	125	105	95							
6-7		145	120										
7-8		85	90	100	(120)	110							
8-9		155	150	130	145	180	145	150	115	110	100	115	
9-10	165	180	145	140	130	130	135	135	110	110	140	150	
10-11		130	120	110	120	125	120	120	120	140	160	180	
11-12			130	100	90	105	115	130	115	115	125	160	
12-13				180	155	145	190	150	125	130	140	150	
13-14													
14-15										175	175	150	
15-16							185	145	145	145	180	165	
16-17								145	130	125	130	140	
17-18									175	205	195	180	
18-19													
27-28		80											
28-29		105	65	70									
29-30		95	80	75	75								
30-31		90	70	85									
31-1		130	95	75	75	75	80						

Observatoire de
Haute Provence

FEVRIER 1959

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2													
2-3													
3-4													
4-5													
5-6			170	160	135	135	110	105	105	115	115	105	130
6-7			140	115	130	125	115	110	125	115	90	95	85
7-8			90	75	65	60	70						
8-9			90	75	70	65	60	60	55	45	55	50	45
9-10				75	65	40	30	70	60	55	60	70	70
10-11					60	45	30	40	60	95	70	60	65
11-12						40	50	55	60	60	65	75	
12-13							50	50	50	(50)	65	55	
13-14								50	55	45	45	55	
14-15								55	50	50	45	55	
15-16													
16-17										75	75	70	
17-18													
26-27			70	65	50								
27-28			70	50	45	50							
28-1			90	70	50	35							

Observatoire de
Haute Provence

MARS 1959

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2			80	65	55	50	50	50					
2-3				85	85	70	70	55	50				
3-4													
4-5													
5-6				90	85								
6-7													
7-8				60	60	65	75	100	115	115	115	105	
8-9				120	(110)	115							
9-10				90	100	90	(100)	(95)					
10-11				115	100	95	95	75	85				
11-12													
12-13								70	(75)	60	65	70	
13-14						100	65	60	40	60	60	70	
14-15							60	60	65	70	80	65	
15-16								95	60	70	60	70	
28-29													
29-30													
30-31					75	70	60	30					
31-1				75	70	65	30	35	35				

Observatoire de
Haute Provence

AVRIL 1959

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2				55	50	45	50	60	50	30			
2-3				60	60	50	50	45	45	55			
3-4				65	75	70	60	40	40	50	55		
4-5				75	90	85	70	70	35	35	45		
5-6				95	85	95	60	35	25	30			
6-7								45					
7-8													
8-9				85	70	70	70	75	75	70			
9-10				90	90	(95)							
10-11							110	80	70	60	60		
11-12						75	55	60	60	60	60		
12-13							90	75	45	45	60		
13-14								85		110	70		
14-15									65	50	40		
26-27													
27-28													
28-29													
29-30													
30-1							(95)	80					

Observatoire de
Haute Provence

MAI 1959

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2					90	100	80	90					
2-3					100	105	115	100	85	90			
3-4					85	95	90	105	95	90			
4-5					80	85	95	70	75	60			
5-6						110							
6-7													
7-8					70	85	95	90	(95)	105			
8-9							95	70					
9-10						30	55	70	50	60			
10-11													
11-12						95	115	85	(75)	65			
12-13							80	(80)	65				
13-14								105	85	70			
14-15								80	75	65			
15-16									75	65			
27-28						70	55						
28-29						(60)	(60)						
29-30						90	80	70					
30-31						80	85	70					
31-1						95	95	95	90				

Observatoire de
Haute Provence

JUIN 1959

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2						(95)	95	75					
2-3						85	65	45	55				
3-4						50	30	55	55				
4-5						35	45	55	110				
5-6						70	65	60	65				
6-7						30	5	20	55				
7-8						50	60	45	25				
8-9						25	25	35	35				
9-10						35	50	45	10				
10-11							45	40	40				
11-12							60	55	40				
12-13								55	50				
13-14								70	70				
14-15													
27-28						70	45						
28-29						20	25						
29-30							90						
30-1						50	55	40					

Observatoire de
Haute Provence

JUILLET 1959

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2						65	90	90	90				
2-3						20	25	25	15				
3-4						5	30	60	75				
4-5						15	15	20	5				
5-6						25	25	25	25				
6-7						20	10	10	0				
7-8						-10	(5)	15	(20)				
8-9													
9-10													
10-11						5	25	5	30				
11-12							35	0	15				
12-13							30	15	15				
13-14													
14-15													
26-27						25							
27-28						20							
28-29													
29-30						55	70	40					
30-31													
31-1						35	30	35	50				

Observatoire de
Haute Provence

AOÛT 1959

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2						20	20	70	55	50			
2-3						0	20	10	10	10			
3-4					55	50	40	30	50	35			
4-5						30	20	20	45	35			
5-6					20	50	65	30	40	30			
6-7					45	80	75	50	35	35			
7-8						(20)	35	30	35	10			
8-9													
9-10						40	45	25	50	15			
10-11							15	25	30	15			
11-12							75	05	60	50			
12-13								45	45	40			
13-14													
26-27					45	35							
27-28					15	25	30						
28-29													
29-30					0	10	25	35					
30-31					70	65	65	60	60	60			
31-1					80	90							

Observatoire de
Haute Provence

SEPTEMBRE 1959

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2													
2-3													
3-4					85	70	65	55	60	50			
4-5					50	70							
5-6													
6-7					45	60	70	85	55				
7-8								55	55	70	70		
8-9						75	70	55	50	35	50		
9-10							65	55	35	30	40		
10-11								45	35	25	20		
11-12									45	55	5		
12-13										70	65		
21-22													
22-23				20									
23-24													
24-25													
25-26													
26-27													
27-28		40	50	(55)									
28-29							40	20	10	10			
29-30			50	45	(40)	45	55						
30-1					45	40	70	90	90	65			

Observatoire de
Haute Provence

OCTOBRE 1959

OH
Valeurs dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2													
2-3			110	105	95	105	80	90	70	45	55	40	
3-4			75	85	90	65	60	70	65	80	70	50	
4-5				45	60	65	70	55					
5-6					70	70	55	(40)	45	45			
6-7					80	60	75	60					
7-8						100	80						
8-9													
9-10								80	(80)				
10-11									90	85	60	55	
11-12										75	75	65	
21-22			80	75									
22-23													
23-24			80	90									
24-25			95	90	70	75							
25-26			125	105	85	65	70						
26-27													
27-28													
28-29													
29-30			105	95	85	90	95						
30-31				145	125	100	110	120	110	120	(125)	115	
31-1			125	140	145	140	105	90	70	80	80	80	

Observatoire de
Haute-Provence

DECEMBRE 1959

OH
Valeurs Dépouillées

Date	TU	18	19	20	21	22	23	0	1	2	3	4	5
1-2													
2-3			100	100	95	100	85	75	105	130	180	210	210
3-4				90									
4-5					150	85	100	130	105	115	115	120	
5-6						135	130	125	140	140	135	155	155
6-7													
7-8													
8-9										145	140	170	145
9-10													
19-20	185		160	145									
20-21	155		125	(115)									
21-22						120							
22-23	150												
23-24													
24-25													
25-26													
26-27													
27-28					(110)	105	(110)	70	60	(80)			
28-29			120	85	75	85	80	115	115	110	115	110	125
29-30							100						
30-31	100		110	100	85	105	105	110	100	105	120	110	120
31-I				95	(110)	120	120	95	105	125	150		